

```
geoint@MAAS-01:~$ juju status
```

Model	Controller	Cloud/Region	Version	SLA	Timestamp
openstack	maas.geoint.mx-default	maas.geoint.mx/default	2.9.25	unsupported	09:35:27-05:00

App	Channel	Rev	Exposed	Message	Version	Status	Scale	Charm
ceph-mon	stable	62	no	Unit is ready and clustered	16.2.6	active	3	ceph-mon
ceph-osd	stable	316	no	Unit is ready (1 OSD)	16.2.6	active	8/9	ceph-osd
ceph-radosgw	stable	300	no	Unit is ready	16.2.6	active	3	ceph-radosgw
ceph-radosgw-hacluster	stable	81	no	Unit is ready and clustered		active	3	hacluster
cinder	stable	319	no	Unit is ready	19.0.0	active	3	cinder
cinder-ceph	stable	268	no	Unit is ready	19.0.0	active	3	cinder-ceph
cinder-hacluster	stable	81	no	Unit is ready and clustered		active	3	hacluster
cinder-mysql-router	stable	15	no	Failed to connect to MySQL	8.0.29	blocked	3	mysql-router
glance	stable	313	no	P0: Unit is ready	23.0.0	active	3	glance
glance-hacluster	stable	81	no	Unit is ready and clustered		active	3	hacluster
glance-mysql-router	stable	15	no	Failed to connect to MySQL	8.0.29	blocked	3	mysql-router
glance-simplestreams-sync	stable	47	no	Unit is ready (Glance sync completed at 07/27/22 01:48:40, metadata uploaded to object store)		active	1	glance-simplestreams-sync
keystone	stable	330	no	Application Ready	20.0.0	active	3	keystone
keystone-hacluster	stable	81	no	Unit is ready and clustered		active	3	hacluster
keystone-mysql-router	stable	15	no	Failed to connect to MySQL	8.0.29	blocked	3	mysql-router
memcached	stable	34	no	Unit is ready and clustered		active	2	memcached
mysql-innodb-cluster	stable	15	no	Cluster is inaccessible from this instance. Please check logs for details.	8.0.29	blocked	3	mysql-innodb-cluster
neutron-api	stable	304	no	Unit is ready	19.1.0	active	3	neutron-api
neutron-api-hacluster	stable	81	no	Unit is ready and clustered		active	3	hacluster
neutron-api-plugin-ovn	stable	10	no	Unit is ready	19.1.0	active	3	neutron-api-plugin-ovn
neutron-mysql-router	stable	15	no	Failed to connect to MySQL	8.0.29	blocked	3	mysql-router
nova-cloud-controller	stable	363	no	Services not running that should be: nova-conductor	24.0.0	blocked	3	nova-cloud-controller
nova-cloud-controller-hacluster	stable	81	no	Unit is ready and clustered		active	3	hacluster
nova-compute	stable	337	no	Unit is ready	24.0.0	active	6/7	nova-compute
nova-mysql-router	stable	15	no	Failed to connect to MySQL	8.0.29	blocked	3	mysql-router
ntp	stable	47	no	chrony: Ready	3.5	active	6/7	ntp
openstack-dashboard	stable	318	no	Unit is ready	20.1.0	active	3	openstack-dashboard
openstack-dashboard-hacluster	stable	81	no	Unit is ready and clustered		active	3	hacluster
openstack-dashboard-mysql-router	stable				8.0.29	blocked	3	mysql-router

```

stable    15  no      Failed to connect to MySQL
ovn-central    21.09.0  active    3  ovn-central
stable    16  no      Unit is ready (leader: ovnnb_db northd: active)
ovn-chassis    21.09.0  active    6/7  ovn-chassis
stable    21  no      Unit is ready
placement      6.0.0    active    3  placement
stable    32  no      Unit is ready
placement-hacluster      active    3  hacluster
stable    81  no      Unit is ready and clustered
placement-mysql-router    8.0.29  blocked    3  mysql-router
stable    15  no      Failed to connect to MySQL
rabbitmq-server    3.8.2    active    3  rabbitmq-server
stable    118 no      Unit is ready and clustered
vault          1.5.9    blocked    3  vault
stable    54  no      Vault cannot authorize approle
vault-hacluster      active    3  hacluster
stable    81  no      Unit is ready and clustered
vault-mysql-router    8.0.29  blocked    3  mysql-router
stable    15  no      Failed to connect to MySQL

```

Unit	Message	Workload	Agent	Machine	Public address
Ports					
ceph-mon/0*		active	idle	0/lxd/0	
10.2.101.140		Unit is ready and clustered			
ceph-mon/1		active	idle	1/lxd/0	
10.2.101.158		Unit is ready and clustered			
ceph-mon/2		active	idle	2/lxd/0	
10.2.101.167		Unit is ready and clustered			
ceph-osd/0		active	idle	0	
10.2.101.135		Unit is ready (1 OSD)			
ceph-osd/1		active	idle	1	
10.2.101.134		Unit is ready (1 OSD)			
ceph-osd/2		active	idle	2	
10.2.101.138		Unit is ready (1 OSD)			
ceph-osd/3		active	idle	3	
10.2.101.136		Unit is ready (1 OSD)			
ceph-osd/4		active	idle	4	
10.2.101.139		Unit is ready (1 OSD)			
ceph-osd/5		active	idle	5	
10.2.101.137		Unit is ready (1 OSD)			
ceph-osd/6		unknown	lost	6	
10.2.101.182		agent lost, see 'juju show-status-log ceph-osd/6'			
ceph-osd/7*		active	idle	7	
10.2.101.184		Unit is ready (1 OSD)			
ceph-osd/8		active	idle	8	
10.2.101.185		Unit is ready (1 OSD)			
ceph-radosgw/0*		active	idle	3/lxd/0	10.2.101.145 443/-
tcp	Unit is ready				
ceph-radosgw-hacluster/0*		active	idle		
10.2.101.145		Unit is ready and clustered			
ceph-radosgw/1		active	idle	4/lxd/0	10.2.101.176 80/-
tcp	Unit is ready				
ceph-radosgw-hacluster/1		active	idle		
10.2.101.176		Unit is ready and clustered			
ceph-radosgw/2		active	idle	5/lxd/0	10.2.101.165 80/-
tcp	Unit is ready				
ceph-radosgw-hacluster/2		active	idle		
10.2.101.165		Unit is ready and clustered			
cinder/0*		active	idle	0/lxd/1	10.2.101.144 8776/-
tcp	Unit is ready				
cinder-ceph/0*		active	idle		
10.2.101.144		Unit is ready			
cinder-hacluster/0*		active	idle		
10.2.101.144		Unit is ready and clustered			
cinder-mysql-router/0*		blocked	idle		
10.2.101.144		Failed to connect to MySQL			

cinder/1	active	idle	1/lxd/1	10.2.101.156	8776/-
tcp	Unit is ready				
cinder-ceph/1	active	idle			
10.2.101.156	Unit is ready				
cinder-hacluster/1	active	idle			
10.2.101.156	Unit is ready and clustered				
cinder-mysql-router/1	blocked	idle			
10.2.101.156	Failed to connect to MySQL				
cinder/2	active	idle	2/lxd/1	10.2.101.178	8776/-
tcp	Unit is ready				
cinder-ceph/2	active	idle			
10.2.101.178	Unit is ready				
cinder-hacluster/2	active	idle			
10.2.101.178	Unit is ready and clustered				
cinder-mysql-router/2	blocked	idle			
10.2.101.178	Failed to connect to MySQL				
glance-simplestreams-sync/0*	active	idle	5/lxd/2		
10.2.101.170	Unit is ready (Glance sync completed at 07/27/22				
01:48:40, metadata uploaded to object store)					
glance/0*	active	idle	3/lxd/1	10.2.101.150	9292/-
tcp	P0: Unit is ready				
glance-hacluster/0*	active	idle			
10.2.101.150	Unit is ready and clustered				
glance-mysql-router/0*	blocked	idle			
10.2.101.150	Failed to connect to MySQL				
glance/1	active	idle	4/lxd/1	10.2.101.180	9292/-
tcp	P0: Unit is ready				
glance-hacluster/2	active	idle			
10.2.101.180	Unit is ready and clustered				
glance-mysql-router/2	blocked	idle			
10.2.101.180	Failed to connect to MySQL				
glance/2	active	idle	5/lxd/1	10.2.101.168	9292/-
tcp	P0: Unit is ready				
glance-hacluster/1	active	idle			
10.2.101.168	Unit is ready and clustered				
glance-mysql-router/1	blocked	idle			
10.2.101.168	Failed to connect to MySQL				
keystone/0*	active	idle	0/lxd/2	10.2.101.143	5000/-
tcp	Unit is ready				
keystone-hacluster/1*	active	idle			
10.2.101.143	Unit is ready and clustered				
keystone-mysql-router/1*	blocked	idle			
10.2.101.143	Failed to connect to MySQL				
keystone/1	active	idle	1/lxd/2	10.2.101.160	5000/-
tcp	Unit is ready				
keystone-hacluster/0	active	idle			
10.2.101.160	Unit is ready and clustered				
keystone-mysql-router/0	blocked	idle			
10.2.101.160	Failed to connect to MySQL				
keystone/2	active	idle	2/lxd/2	10.2.101.173	5000/-
tcp	Unit is ready				
keystone-hacluster/2	active	idle			
10.2.101.173	Unit is ready and clustered				
keystone-mysql-router/2	blocked	idle			
10.2.101.173	Failed to connect to MySQL				
memcached/0*	active	idle	3/lxd/2	10.2.101.152	11211/-
tcp	Unit is ready and clustered				
memcached/1	active	idle	4/lxd/2	10.2.101.169	11211/-
tcp	Unit is ready and clustered				
mysql-innodb-cluster/0*	blocked	idle	0/lxd/3		
10.2.101.153	Cluster is inaccessible from this instance. Please				
check logs for details.					
mysql-innodb-cluster/1	blocked	idle	1/lxd/3		
10.2.101.149	Cluster is inaccessible from this instance. Please				
check logs for details.					
mysql-innodb-cluster/2	blocked	idle	2/lxd/3		

```

10.2.101.181      Cluster is inaccessible from this instance. Please
check logs for details.
neutron-api/0*      active    idle    3/lxd/3  10.2.101.148    9696/-
tcp                Unit is ready
neutron-api-hacluster/0*      active    idle
10.2.101.148      Unit is ready and clustered
neutron-api-plugin-ovn/0*      active    idle
10.2.101.148      Unit is ready
neutron-mysql-router/0*      blocked   idle
10.2.101.148      Failed to connect to MySQL
neutron-api/1      active    idle    4/lxd/3  10.2.101.179    9696/-
tcp                Unit is ready
neutron-api-hacluster/1      active    idle
10.2.101.179      Unit is ready and clustered
neutron-api-plugin-ovn/1      active    idle
10.2.101.179      Unit is ready
neutron-mysql-router/1      blocked   idle
10.2.101.179      Failed to connect to MySQL
neutron-api/2      active    idle    5/lxd/3  10.2.101.166    9696/-
tcp                Unit is ready
neutron-api-hacluster/2      active    idle
10.2.101.166      Unit is ready and clustered
neutron-api-plugin-ovn/2      active    idle
10.2.101.166      Unit is ready
neutron-mysql-router/2      blocked   idle
10.2.101.166      Failed to connect to MySQL
nova-cloud-controller/0*      active    idle    0/lxd/4  10.2.101.141    8774/tcp, -
8775/tcp Unit is ready
nova-cloud-controller-hacluster/1* active    idle
10.2.101.141      Unit is ready and clustered
nova-mysql-router/1*      blocked   idle
10.2.101.141      Failed to connect to MySQL
nova-cloud-controller/1      blocked   idle    1/lxd/4  10.2.101.157    8774/tcp, -
8775/tcp Services not running that should be: nova-conductor
nova-cloud-controller-hacluster/0 active    idle
10.2.101.157      Unit is ready and clustered
nova-mysql-router/0      blocked   idle
10.2.101.157      Failed to connect to MySQL
nova-cloud-controller/2      active    idle    2/lxd/4  10.2.101.175    8774/tcp, -
8775/tcp Unit is ready
nova-cloud-controller-hacluster/2 active    idle
10.2.101.175      Unit is ready and clustered
nova-mysql-router/2      blocked   idle
10.2.101.175      Failed to connect to MySQL
nova-compute/0*      active    idle    0
10.2.101.135      Unit is ready
ntp/0*            active    idle
udp                chrony: Ready
ovn-chassis/0*      active    idle
10.2.101.135      Unit is ready
nova-compute/1      active    idle    1
10.2.101.134      Unit is ready
ntp/2            active    idle
udp                chrony: Ready
ovn-chassis/2      active    idle
10.2.101.134      Unit is ready
nova-compute/2      active    idle    2
10.2.101.138      Unit is ready
ntp/5            active    idle
udp                chrony: Ready
ovn-chassis/4      active    idle
10.2.101.138      Unit is ready
nova-compute/3      active    idle    3
10.2.101.136      Unit is ready
ntp/1            active    idle
udp                chrony: Ready

```

Unit	State	Substate	Process	IP	Port
ovn-chassis/1	active	idle			
10.2.101.136 nova-compute/4	Unit is ready	active	idle	4	
10.2.101.139 ntp/4	Unit is ready	active	idle		
udp chrony: Ready				10.2.101.139	123/-
ovn-chassis/5	active	idle			
10.2.101.139 nova-compute/5	Unit is ready	active	idle	5	
10.2.101.137 ntp/3	Unit is ready	active	idle		
udp chrony: Ready				10.2.101.137	123/-
ovn-chassis/3	active	idle			
10.2.101.137 nova-compute/6	Unit is ready	unknown	lost	6	
10.2.101.182 ntp/6	agent lost, see 'juju show-status-log nova-compute/6'	unknown	lost		
udp agent lost, see 'juju show-status-log ntp/6'				10.2.101.182	123/-
ovn-chassis/6	unknown	lost			
10.2.101.182 openstack-dashboard/0*	agent lost, see 'juju show-status-log ovn-chassis/6'	active	idle	3/lxd/4	10.2.101.151 80/tcp,-
443/tcp Unit is ready					
openstack-dashboard-hacluster/0*	active	idle			
10.2.101.151 openstack-dashboard-mysql-router/0*	Unit is ready and clustered	blocked	idle		
10.2.101.151 openstack-dashboard/1	Failed to connect to MySQL	active	idle	4/lxd/4	10.2.101.164 80/tcp,-
443/tcp Unit is ready					
openstack-dashboard-hacluster/1	active	idle			
10.2.101.164 openstack-dashboard-mysql-router/1	Unit is ready and clustered	blocked	idle		
10.2.101.164 openstack-dashboard/2	Failed to connect to MySQL	active	idle	5/lxd/4	10.2.101.162 80/tcp,-
443/tcp Unit is ready					
openstack-dashboard-hacluster/2	active	idle			
10.2.101.162 openstack-dashboard-mysql-router/2	Unit is ready and clustered	blocked	idle		
10.2.101.162 openstack-dashboard/0*	Failed to connect to MySQL	active	idle	3/lxd/5	10.2.101.147 6641/tcp,-
6642/tcp Unit is ready (leader: ovnnb_db northd: active)					
ovn-central/1	active	idle		4/lxd/5	10.2.101.172 6641/tcp,-
6642/tcp Unit is ready (leader: ovnsb_db)					
ovn-central/2	active	idle		5/lxd/5	10.2.101.161 6641/tcp,-
6642/tcp Unit is ready					
placement/0*	active	idle		0/lxd/5	10.2.101.146 8778/-
tcp Unit is ready					
placement-hacluster/0*	active	idle			
10.2.101.146 placement-mysql-router/0*	Unit is ready and clustered	blocked	idle		
10.2.101.146 placement/1	Failed to connect to MySQL	active	idle	1/lxd/5	10.2.101.155 8778/-
tcp Unit is ready					
placement-hacluster/1	active	idle			
10.2.101.155 placement-mysql-router/1	Unit is ready and clustered	blocked	idle		
10.2.101.155 placement/2	Failed to connect to MySQL	active	idle	2/lxd/5	10.2.101.177 8778/-
tcp Unit is ready					
placement-hacluster/2	active	idle			
10.2.101.177 placement-mysql-router/2	Unit is ready and clustered	blocked	idle		
10.2.101.177 rabbitmq-server/0*	Failed to connect to MySQL	active	idle	3/lxd/6	10.2.101.154 5672/-
tcp Unit is ready and clustered					
rabbitmq-server/1	active	idle		4/lxd/6	10.2.101.171 5672/-
tcp Unit is ready and clustered					

```

rabbitmq-server/2          active    idle    5/lxd/6  10.2.101.163  5672/-
tcp                        Unit is ready and clustered
vault/0*                  blocked   idle    0/lxd/6  10.2.101.142  8200/-
tcp                        Vault cannot authorize approle
  vault-hacluster/1*      active    idle
10.2.101.142              Unit is ready and clustered
  vault-mysql-router/1*   blocked   idle
10.2.101.142              Failed to connect to MySQL
vault/1                   blocked   idle    1/lxd/6  10.2.101.159  8200/-
tcp                        Vault service not running
  vault-hacluster/0       active    idle
10.2.101.159              Unit is ready and clustered
  vault-mysql-router/0     blocked   idle
10.2.101.159              Failed to connect to MySQL
vault/2                   blocked   idle    2/lxd/6  10.2.101.174  8200/-
tcp                        Unit is sealed
  vault-hacluster/2       active    idle
10.2.101.174              Unit is ready and clustered
  vault-mysql-router/2     blocked   idle
10.2.101.174              Failed to connect to MySQL

```

Machine	State	DNS	Inst id	Series	AZ	Message
0	started	10.2.101.135	liked-hermit	focal	default	Deployed
0/lxd/0	started	10.2.101.140	juju-5025f7-0-lxd-0	focal	default	Container started
0/lxd/1	started	10.2.101.144	juju-5025f7-0-lxd-1	focal	default	Container started
0/lxd/2	started	10.2.101.143	juju-5025f7-0-lxd-2	focal	default	Container started
0/lxd/3	started	10.2.101.153	juju-5025f7-0-lxd-3	focal	default	Container started
0/lxd/4	started	10.2.101.141	juju-5025f7-0-lxd-4	focal	default	Container started
0/lxd/5	started	10.2.101.146	juju-5025f7-0-lxd-5	focal	default	Container started
0/lxd/6	started	10.2.101.142	juju-5025f7-0-lxd-6	focal	default	Container started
1	started	10.2.101.134	stable-liger	focal	default	Deployed
1/lxd/0	started	10.2.101.158	juju-5025f7-1-lxd-0	focal	default	Container started
1/lxd/1	started	10.2.101.156	juju-5025f7-1-lxd-1	focal	default	Container started
1/lxd/2	started	10.2.101.160	juju-5025f7-1-lxd-2	focal	default	Container started
1/lxd/3	started	10.2.101.149	juju-5025f7-1-lxd-3	focal	default	Container started
1/lxd/4	started	10.2.101.157	juju-5025f7-1-lxd-4	focal	default	Container started
1/lxd/5	started	10.2.101.155	juju-5025f7-1-lxd-5	focal	default	Container started
1/lxd/6	started	10.2.101.159	juju-5025f7-1-lxd-6	focal	default	Container started
2	started	10.2.101.138	exotic-goblin	focal	default	Deployed
2/lxd/0	started	10.2.101.167	juju-5025f7-2-lxd-0	focal	default	Container started
2/lxd/1	started	10.2.101.178	juju-5025f7-2-lxd-1	focal	default	Container started
2/lxd/2	started	10.2.101.173	juju-5025f7-2-lxd-2	focal	default	Container started
2/lxd/3	started	10.2.101.181	juju-5025f7-2-lxd-3	focal	default	Container started
2/lxd/4	started	10.2.101.175	juju-5025f7-2-lxd-4	focal	default	Container started
2/lxd/5	started	10.2.101.177	juju-5025f7-2-lxd-5	focal	default	Container started
2/lxd/6	started	10.2.101.174	juju-5025f7-2-lxd-6	focal	default	Container started
3	started	10.2.101.136	key-ox	focal	default	Deployed
3/lxd/0	started	10.2.101.145	juju-5025f7-3-lxd-0	focal	default	Container started
3/lxd/1	started	10.2.101.150	juju-5025f7-3-lxd-1	focal	default	Container started
3/lxd/2	started	10.2.101.152	juju-5025f7-3-lxd-2	focal	default	Container started
3/lxd/3	started	10.2.101.148	juju-5025f7-3-lxd-3	focal	default	Container started
3/lxd/4	started	10.2.101.151	juju-5025f7-3-lxd-4	focal	default	Container started
3/lxd/5	started	10.2.101.147	juju-5025f7-3-lxd-5	focal	default	Container started
3/lxd/6	started	10.2.101.154	juju-5025f7-3-lxd-6	focal	default	Container started
4	started	10.2.101.139	star-koala	focal	default	Deployed
4/lxd/0	started	10.2.101.176	juju-5025f7-4-lxd-0	focal	default	Container started
4/lxd/1	started	10.2.101.180	juju-5025f7-4-lxd-1	focal	default	Container started
4/lxd/2	started	10.2.101.169	juju-5025f7-4-lxd-2	focal	default	Container started
4/lxd/3	started	10.2.101.179	juju-5025f7-4-lxd-3	focal	default	Container started
4/lxd/4	started	10.2.101.164	juju-5025f7-4-lxd-4	focal	default	Container started
4/lxd/5	started	10.2.101.172	juju-5025f7-4-lxd-5	focal	default	Container started
4/lxd/6	started	10.2.101.171	juju-5025f7-4-lxd-6	focal	default	Container started
5	started	10.2.101.137	clean-hog	focal	default	Deployed
5/lxd/0	started	10.2.101.165	juju-5025f7-5-lxd-0	focal	default	Container started
5/lxd/1	started	10.2.101.168	juju-5025f7-5-lxd-1	focal	default	Container started
5/lxd/2	started	10.2.101.170	juju-5025f7-5-lxd-2	focal	default	Container started

5/lxd/3	started	10.2.101.166	juju-5025f7-5-lxd-3	focal	default	Container started
5/lxd/4	started	10.2.101.162	juju-5025f7-5-lxd-4	focal	default	Container started
5/lxd/5	started	10.2.101.161	juju-5025f7-5-lxd-5	focal	default	Container started
5/lxd/6	started	10.2.101.163	juju-5025f7-5-lxd-6	focal	default	Container started
6	down	10.2.101.182	sharp-grouse	focal	default	Failed testing:
Powering	off					
7	started	10.2.101.184	pumped-bat	focal	default	Deployed
8	started	10.2.101.185	sharp-heron	focal	default	Deployed